














PVC with steel carrier broken / wire carrier

Design	Article reference	Colour	Clamping range [mm]	Sales unit [m]	Minimum order
	A1 009	black	0,8-1,5	100	100
	A1 010	black	1,0-2,0	100	100
	A1 011*	white	1,0-2,0	100	1500
	A1 012	grey	1,0-2,0	100	100
	A1 013	black	1,0-2,0	100	100
	A1 014	white	1,0-2,0	100	100
	A1 034	silver	1,0-2,0	100	100
	A1 023/2	black	1,0-2,5	100	100
	A1 023/4	black	2,0-4,0	100	100
	A2 051	black	1,0-3,0	100	100
	A3007	black	1,0-4,0	100	100
	A1 032*	black	1,0-2,5	4x50	4000





*Upon request - delivery time minimum 5-6 weeks, other profiles on stock, subject to being unsold.
 Other colours and materials upon request - Design modifications reserved

PVC with steel carrier broken

Design	Article reference	Colour	Clamping range [mm]	Sales unit [m]	Minimum order
	A1 015	black	1,0-4,0	100	100
	A1 016	anthrazit	1,0-4,0	100	100
	A1 017	light grey	1,0-4,0	100	100
	A1 022	white grey	1,0-4,0	100	100
	A1 044	black	2,0-5,0	100	100
	A3634	grey	2,0-5,0	10x120	100
	A1 021	black	2,0-5,0	50,1	100
 <p>Drawing matches to A1 019/8</p>	A1 019/8	black	6,0-8,0	100	100
	A1 020/8	light grey	6,0-8,0	100	100
	A1 019/10	black	8,0-10,0	100	100
	A1 020/10*	light grey	8,0-10,0	100	1500
	A2 078	black	10,0-12,0	100	100







*Upon request - delivery time minimum 5-6 weeks, other profiles on stock, subject to being unsold.
 Other colours and materials upon request - Design modifications reserved

PVC with steel carrier broken / wire carrier



Design	Article reference	Colour	Clamping range [mm]	Sales unit [m]	Minimum order
	A1 037*	black	1,0-4,0	100	6000
 <p>Drawing matches to A1 024/6</p>	A1 024/2* A1 024/4 A1 024/6	black black black	1,0-2,5 2,0-4,0 4,0-6,0	100 100 100	6000 100 100
	A1 018	black	1,0-4,0	100	100
	A1 030*	black	4,0-6,0	100	6000

*Upon request - delivery time minimum 5-6 weeks, other profiles on stock, subject to being unsold.
 Other colours and materials upon request - Design modifications reserved

PVC with steel carrier unbroken

Design	Article reference	Colour	Clamping range [mm]	Sales unit [m]	Minimum order
	A3046*	black	0,8-1,0	200	8000
	A1 077 A2 813	black black	0,5-3,0 0,5-3,0	100 50	100 50
	A1 075*	black	1,0-2,5	100	2000
	A3087*	white	2,0	10x120	2400
	A3490*	creamy-white	2,0	50,1	1503
	A3362-BU* with Butyl	light-ivory	2,0	50,1	2404,8

PVC with wire carrier

Design	Article reference	Colour	Clamping range [mm]	Sales unit [m]	Minimum order
	A4253-BU steel carrier unbroken with Butyl	white	2,0	1x50,1	50,1
	A2 257* (TPE) stainless steel wire carrier	pearl- white	1,0-2,5	2x50	6000

EPDM with steel carrier / wire carrier

Design	Article reference	Colour	Clamping range [mm]	Sales unit [m]	Minimum order
	A3521* steel carrier center bar	black	1,0-2,0	100	4000
	A4782 steel carrier center bar (fire safety standard NFF16-101)	schwarz	1,0-2,0	100	100
	A2 613* steel carrier unbroken	black	1,0-3,0	2x100	4000
	A3444* wire carrier	black	5,0-6,0	100	4000
	A3550* steel carrier broken	black	5,0-8,0	100	4000
	A4808-BU with Butyl	black	4,0-6,0	100	3000

*Upon request - delivery time minimum 5-6 weeks, other profiles on stock, subject to being unsold.
 Other colours and materials upon request - Design modifications reserved